

QUALITY	TECHNICAL DESCRIPTION	CONVERTING APPLICATION	MAIN ENDUSE
PERGAMYN PAPER From 25 up to 50gsm	<ul style="list-style-type: none"> ➤ Transparent ➤ Supercalandered ➤ Uncoated 	<ul style="list-style-type: none"> ➤ PE extrusion ➤ Lamination with PE + Alufoil ➤ Printable in flexo 	<ul style="list-style-type: none"> ➤ Bread stick's bags ➤ Ice lollies bags ➤ Envelope's windows
PERGAMYN SPECIAL FOR FRUIT WRAPPING From 20 up to 22gsm		<ul style="list-style-type: none"> ➤ Lamination with wax, hotmelt or adhesives 	<ul style="list-style-type: none"> ➤ Transparent envelopes for photo ➤ WS for flower wrapping ➤ Pharmaceutical blisters
PERGAMYN MATT FOR CLOTHES From 20 up to 30gsm	<ul style="list-style-type: none"> ➤ MF paper ➤ slightly glazed on one side 	<ul style="list-style-type: none"> ➤ PE extrusion/ALU lamination ➤ Very good printability in flexo (full printing) 	<ul style="list-style-type: none"> ➤ clothes/shoes wrapping ➤ sweets packaging
HYDRO RESISTANT APRICOT PAPER 80gsm or upon request	<ul style="list-style-type: none"> ➤ MF paper ➤ Good WS 	<ul style="list-style-type: none"> ➤ PE extrusion ➤ Good printability in flexo 	<ul style="list-style-type: none"> ➤ cheese/mozzarella wrapping
HYDRO RESISTANT PAPER From 40 up to 65gsm	<ul style="list-style-type: none"> ➤ MF paper ➤ Good WS 	<ul style="list-style-type: none"> ➤ PE extrusion ➤ Good printability in flexo 	<ul style="list-style-type: none"> ➤ cheese/mozzarella wrapping
OPALINE OBA/OBA FREE From 40 up to 80gsm	<ul style="list-style-type: none"> ➤ Supercalandered ➤ Uncoated ➤ High opacity 	<ul style="list-style-type: none"> ➤ Printable in full colour flexo ➤ High opacity ➤ PE extrusion ➤ Lamination with wax or adhesives 	<ul style="list-style-type: none"> ➤ Giftwrap ➤ Pastry and Icecream wrapping ➤ Sugar bags ➤ For dry foods
TWISTING OBA/OBA FREE From 30 up to 45gsm	<ul style="list-style-type: none"> ➤ Supercalandered ➤ Uncoated ➤ High opacity ➤ TiO2 content 	<ul style="list-style-type: none"> ➤ For waxing ➤ Printable in flexo and rotogravure ➤ Lamination with wax, hotmelt 	<ul style="list-style-type: none"> ➤ Sphereform candiewrapping ➤ Cubiform candiewrapping ➤ Chocolate wrapping
TWISTING MP OBA/OBA FREE From 40 up to 45gsm	<ul style="list-style-type: none"> ➤ Supercalandered ➤ 1 side coated ➤ High opacity ➤ TiO2 content 	<ul style="list-style-type: none"> ➤ For waxing ➤ Printable in flexo and rotogravure ➤ Lamination with wax, hotmelt or adhesives ➤ Very high printing performance 	<ul style="list-style-type: none"> ➤ Sphereform candiewrapping ➤ Cubiform candiewrapping ➤ Chocolate wrapping ➤ Lower tensile strenght than TWISTING
E-TWIST MP OBA/OBA FREE From 40 up to 45gsm	<ul style="list-style-type: none"> ➤ Supercalandered ➤ 1 side coated ➤ High opacity ➤ TiO2 content 	<ul style="list-style-type: none"> ➤ For waxing ➤ Printable in flexo and rotogravure ➤ Lamination with wax, hotmelt ➤ Very high printing performance 	<ul style="list-style-type: none"> ➤ Lower tensile strenght than TWISTING and TWISTING MP ➤ Only for Cubiform candiewrapping ➤ Chocolate wrapping
E-OPALINE UNCOATED OBA/OBA FREE From 50 up to 60gsm	<ul style="list-style-type: none"> ➤ Supercalandered kraft ➤ uncoated 	<ul style="list-style-type: none"> ➤ PE extrusion ➤ Printable in flexo (ok for full printing) 	<ul style="list-style-type: none"> ➤ Giftwrap ➤ Pastry wrapping

QUALITY	TECHNICAL DESCRIPTION	CONVERTING APPLICATION	MAIN ENDUSE
E-OPALINE COATED MP OBA/OBA FREE From 50 up to 60gsm	<ul style="list-style-type: none"> ➤ Supercalandered kraft ➤ 1 side coated 	<ul style="list-style-type: none"> ➤ PE extrusion ➤ Printable in flexo (ok for full printing) 	<ul style="list-style-type: none"> ➤ Giftwrap ➤ Pastry wrapping
SUPERCALANDERED KRAFT MP OBA/OBA FREE From 40 up to 70gsm	<ul style="list-style-type: none"> ➤ Supercalandered kraft ➤ 1 side coated ➤ High strength properties 	<ul style="list-style-type: none"> ➤ PE extrusion ➤ Printable in flexo and rotogravure ➤ Lamination with ALU ➤ Lamination with wax, hotmelt or adhesives 	<ul style="list-style-type: none"> ➤ Giftwrap ➤ Granulates' bags ➤ Sugar bags ➤ Caps of yogurt's cups
CRISTAL PAPER OBA/OBA FREE (also possible to produce WS) Available in version " PIZZI " (available TIO2 free in 40gsm) From 30 up to 60gsm	<ul style="list-style-type: none"> ➤ Supercalandered kraft ➤ Uncoated ➤ High opacity ➤ TiO2 content 	<ul style="list-style-type: none"> ➤ PE extrusion ➤ For waxing ➤ Printable in flexo ➤ Lamination with wax, hotmelt or adhesives 	<ul style="list-style-type: none"> ➤ Lace doilies (version PIZZI) ➤ Blisters ➤ Sugar bags ➤ Corrugating (cushion pads) ➤ Bread bags (TIO2 free version) ➤ Granulates' bags
E-MG KRAFT OBA/OBA FREE From 30 up to 50gsm	<ul style="list-style-type: none"> ➤ MG bleached kraft ➤ Uncoated 	<ul style="list-style-type: none"> ➤ PE extrusion ➤ Printable in flexo ➤ Lamination with hotmelt or adhesives ➤ Lamination with ALU 	<ul style="list-style-type: none"> ➤ Bread bags ➤ General wrapping and packaging ➤ Tablecloths ➤ Doileis
THIN VP ML OBA/OBA FREE From 19 up to 40gsm (also possible to produce WS)	<ul style="list-style-type: none"> ➤ MG bleached LIGHT kraft ➤ Uncoated 	<ul style="list-style-type: none"> ➤ PE extrusion ➤ Printable in flexo ➤ Lamination with hotmelt or adhesives ➤ Crepping 	<ul style="list-style-type: none"> ➤ Lamination with ALU (version VP CERATURA SCO) ➤ General wrapping and packaging ➤ Printable in flexo ➤ Layer for cushion pads
THIN PAPER SD From 19 up to 50gsm Suitable for food contact	<ul style="list-style-type: none"> ➤ MG bleached LIGHT kraft ➤ Uncoated ➤ Food contact certificate 	<ul style="list-style-type: none"> ➤ PE extrusion ➤ Printable in flexo ➤ Printable in roto offset 	<ul style="list-style-type: none"> ➤ Small bags ➤ General wrapping and packaging ➤ Filler for shoes and shirts ➤ Tablecloths and towels
THIN PAPER SDE (only CCO) From 19 up to 50gsm Cheapest grade not suitable for food contact	<ul style="list-style-type: none"> ➤ MG bleached LIGHT kraft ➤ Uncoated ➤ No food contact certificate 	<ul style="list-style-type: none"> ➤ PE extrusion ➤ Printable in flexo ➤ Printable in roto offset 	<ul style="list-style-type: none"> ➤ Small bags ➤ General wrapping and packaging ➤ Filler for shoes and shirts ➤ Tablecloths and towels
GREASEPROOF OIL AND WATER RESISTANCE WHITE AND ECRU From 40 up to 60gsm	<ul style="list-style-type: none"> ➤ WS kraft paper ➤ Kit test 4 or 8 or 10 (treatment on both sides) 	<ul style="list-style-type: none"> ➤ ALU lamination ➤ Printable in flexo 	<ul style="list-style-type: none"> ➤ Small bags for fast food ➤ Butter, ice cream, cakes, fat foods wrapping

QUALITY	TECHNICAL DESCRIPTION	CONVERTING APPLICATION	MAIN ENDUSE
GREASEPROOF OIL RESISTANCE 60gsm or 200/240gsm WHITE AND ECRU	<ul style="list-style-type: none"> ➤ kraft paper (not WS) ➤ Kit test 8 or 10 (treatment on both sides) 	<ul style="list-style-type: none"> ➤ Application to microwave ➤ Printable in flexo 	<ul style="list-style-type: none"> ➤ Small boxes for microvawe ➤ Packaging for biscuits/crackers ➤ High grammages: chocolate wrapping
GREASEPROOF PF ECRU 70gsm	<ul style="list-style-type: none"> ➤ grease resistant treatment ➤ high kit level (10-12) ➤ produced only with unbleached pulp, no color inside 	<ul style="list-style-type: none"> ➤ Printable in flexo ➤ PE extrusion 	<ul style="list-style-type: none"> ➤ bags for pet food
SLIP EASY PAPER From 50 up to 60gsm WHITE AND BROWN	<ul style="list-style-type: none"> ➤ grease resistant treatment ➤ slip easy treatment 	<ul style="list-style-type: none"> ➤ Printable in offset / flexo ➤ not suitable for oven (only fresh food) 	<ul style="list-style-type: none"> ➤ cups for sweets (pastry) ➤ over packing of pastry
SILICONE PAPER /SILICONE PAPER ECRU From 40gsm up to 45gsm	<ul style="list-style-type: none"> ➤ silicon treatment on both sides ➤ slip easy treatment ➤ ECRU: produced only with unbleached pulp, no color inside 	<ul style="list-style-type: none"> ➤ cut in sheets (packed in boxes) ➤ rewinding in small reels ➤ rewinding in small reels 	<ul style="list-style-type: none"> ➤ baking paper for home ➤ one time use
HI CALENDERED ECRU 95gsm	<ul style="list-style-type: none"> ➤ high calandered paper ➤ produced only with unbleached pulp, no color inside 	<ul style="list-style-type: none"> ➤ baking cups for panettone/cakes ➤ flexo printing 	<ul style="list-style-type: none"> ➤ baking paper for industrial use ➤ all declarations for food contact available
PERGAMYN CHOCOLATE 40gsm	<ul style="list-style-type: none"> ➤ coloured calandered paper (brown chocolate) 	<ul style="list-style-type: none"> ➤ printable in flexo/rotogravure 	<ul style="list-style-type: none"> ➤ production of cushion pads for chocolate boxes
E-ONE SIDE COATED SOAP PAPER From 70 up to 80gsm	<ul style="list-style-type: none"> ➤ one side coated paper ➤ anti mould treatment (ppm 1000) 	<ul style="list-style-type: none"> ➤ PET lamination ➤ Printable in flexo 	<ul style="list-style-type: none"> ➤ soap wrapping
KRAFT SOAP PAPER 160gsm	<ul style="list-style-type: none"> ➤ MF paper ➤ anti mould treatment (ppm 1000) 	<ul style="list-style-type: none"> ➤ PE extrusion 	<ul style="list-style-type: none"> ➤ soap wrapping
THIN PRINTING PAPER NORMAL OBA/OBA FREE From 33gsm up to 80gsm	<ul style="list-style-type: none"> ➤ unpigmented printing paper 	<ul style="list-style-type: none"> ➤ printable offset/roto offset ➤ suitable for one color printing 	<ul style="list-style-type: none"> ➤ printing of pharmaceutical/cosmetical leaflets ➤ printing of books

QUALITY	TECHNICAL DESCRIPTION	CONVERTING APPLICATION	MAIN ENDUSE
THIN PRINTING PAPER BRILIANT/ NATURAL From 33gsm up to 80gsm	➤ slightly pigmented paper ➤ OBA (BRILLANTE) or OBA free (NATURALE)	➤ printable offset/roto offset ➤ suitable for more color printing	➤ printing of pharmaceutical/cosmetical leaflets ➤ printing of books and catalogs
THIN PRINTING PAPER AVORY From 30gsm up to 90gsm	➤ slightly ivory coloured	➤ printable offset/roto offset ➤ suitable for 1-2 color printing	➤ printing of books

NOTES

- ▶ Particular variations (i.e. substances, treatments, smoothness) of above papers are available under specific conditions
- ▶ Technical datasheets are available
- ▶ Specifications are subject to change

QUALITY	TECHNICAL DESCRIPTION	CONVERTING APPLICATION	MAIN ENDUSE
WHITE RECYCLED PAPER From 30gsm up to 80gsm	➤ MG	➤ printable flexo	➤ small flat bottom bags
BROWN RECYCLED PAPER From 30gsm up to 80gsm	➤ MG	➤ printable flexo	➤ small flat bottom bags
ENVELOPE PAPER YELLOW From 90gsm up to 150gsm	➤ MG	➤ printable flexo	➤ envelopes
ENVELOPE PAPER YELLOW GOLD From 90gsm up to 150gsm	➤ MG	➤ printable flexo	➤ envelopes
WHITE RIBBED KRAFT BAG PAPER From 80gsm up to 150gsm	➤ MG ribbed	➤ printable offset and flexo	➤ paper bags
BROWN RIBBED KRAFT BAG PAPER From 80gsm up to 150gsm	➤ MG ribbed	➤ printable offset and flexo	➤ paper bags
STOCK LOTS OF ANY TYPE OF PAPER Various gsm	➤ various	➤ various	➤ various
TISSUE PAPER From 16 up to 40gsm	➤ various	➤ non-printable	➤ toilet paper ➤ kitchen paper ➤ napkins
PAPER +PE Various gsm	➤ type of paper upon request ➤ type of PE upon request	➤ printable flexo/roto depending of paper quality	➤ wrapping purposes ➤ thermosealed bags
PAPER +PE +ALU Various gsm	➤ type of paper upon request ➤ type of PE upon request ➤ ALU thickness upon request	➤ printable flexo/roto depending of paper quality	➤ wrapping purposes ➤ flat bottom paperbags for special uses
PAPER +PE +ALU +PE Various gsm	➤ type of paper upon request ➤ type of PE upon request ➤ ALU thickness upon request	➤ printable flexo/roto depending of paper quality	➤ wrapping purposes ➤ special uses ➤ medical applications
PAPER +PE +PAPER Various gsm	➤ type of paper upon request ➤ type of PE upon request	➤ printable flexo/roto depending of paper quality	➤ special wrapping purposes